# Pressure tanks
## AP - High Press. Compr. Air




fiorini

# P.E.D. tested 16-64 bar compressed air tanks, under high pressure – AP series

The AP tanks for compressed air under high pressure are used in all compressed air distribution systems with elevated pressure. The AP series is different from the AK series because of the operating pressure which is superior in the AP series.

The models, with CE label, are available in the vertical and horizontal version, with various capacities in function of the max operating pressure:

16 bar version: 300 up to 10.000 litres
18 bar version: 100 up to 5.000 litres
20 bar version: 4.000 up to 10.000 litres
25 bar version: 300 up to 6.000 litres
30 bar version: 800 up to 6.000 litres
35 bar version: 100 up to 3.000 litres
64 bar version: 100 up to 1.000 litres

✔ **Material:** carbon steel
✔ **Protective treatment:** hot dip galvanizing and external coating
✔ **Operative conditions:** the storage tanks have a max pressure of 16, 18, 20, 25, 30, 35, 64 bar and operating temperatures from -10°C to +50°C



**Special versions:** the AK storage tanks can be modified on demand in order to meet your specific requirements











## Download additional content

go.fiorinigroup.it/eng/content

fiorini

Fiorini Industries S.r.l.
Ph. +39 0543 723197 – Fax +39 0543 720413
Via Zampeschi 119 – 47122 Forlì (FC) – Italy
**www.fiorini-industries.com**